

Laminex[®] Large Format Commercial range

Create tailored, beautiful and inspired spaces with the Laminex® Large Format Commercial range.

This comprehensive range of decors has been specially selected for today's Commercial and large scale Residential project spaces. It is available in cost effective 1800mm wide panels, with thicknesses of 18mm, 25mm and 33mm for MR EO Particleboard and Structural MR EO MDF and 18mm and 25mm for Standard EO MDF. All decors are available with matching 22mm, 29mm or 38mm ABS edging. Integrating with the wider Laminex range, including Laminex Impressions™ textured surfaces and Laminex Compact laminate, this range will help you create seamless, cost effective schemes that are always on trend.



FRONT AND BACK COVER: Jackalope Hotels Mornington Peninsula, Victoria features Laminex Impressions textured surfaces in Black Nuance finish for the wall panels, overhead and below cabinetry. Project by architecture firm Carr Design Group. Photography by Sharyn Cairns at Hart & Co.

ABOVE TOP: Jackalope Hotels Mornington Peninsula, Victoria features **Laminex Impressions textured surfaces** in **Black** Nuance finish for the wall panels. Project by architecture firm Carr Design Group. Photography by Sharyn Cairns at Hart & Co.

ABOVE RIGHT: IVE Group Office Fitout features Laminex Large Format Commercial range in Polar White for the desk tops with Laminex ABS edging in Black. Occasional tables use Laminex Large Format Commercial range in Black. Project by Workspace Commercial Furniture.

Large Format Commercial range



Large Format Commercial range



Rural Oak R



Natural Walnut



Lustrous Elm + NU



Blackened Elm R



Licorice Linea +



Zincworks +



Tornado



Gunmetal



New Graphite +



Fossil+



Blackened Linewood +




Burnished Wood NU



Battalion +



Charcoal +



Black + NU



Vertical Application



Horizontal Application



Low Maintenance



Stain Resistant



Scratch Resistant



Heat Resistant



Water Repellent



UV Stable Indoor Use



Dimensional Stability



Impact Resistant



Tactile

Horizontal Application relates only to low-medium wear applications such as shelving and desktops, not high wear applications such as benchtops, countertops or worktops.

Impact Resistant relates only to Structural Grade, which has an enhanced level of impact resistance built into the product.

Tactile relates only to Impressions, which has a more highly textured surface finish.

- R This colour is also available in Laminex Large Format Impressions™ textured surfaces Riven finish as MTO.
- NU This colour is also available in Laminex Large Format Impressions $^{\text{TM}}$ textured surfaces Nuance finish as MTO.
- + This colour is also available in Laminex Large Format Multipurpose Compact Laminate.

For more information please refer to individual product brochures.

Panels

Product offer	Panel dimensions	Finishes	Delivery lead time
Vertiboard® MR E0	3600 x 1800 x 18mm	Natural or Flint finish	National availability
(MR E0 Particleboard)	3600 x 1800 x 25mm		Minimum 1 sheet
	3600 x 1800 x 33mm		
Decorwood®	2400 x 1800 x 18mm	Natural or Flint finish	National availability
(Standard E0 MDF)	2400 x 1800 x 25mm		Minimum 1 sheet
Structural MR®	3600 x 1800 x 18mm	Natural or Flint finish	Local availability
(Moisture Resistant E0 MDF)	3600 x 1800 x 25mm		Minimum 1 sheet
	3600 x 1800 x 32mm		Check with your local
			branch for availability*
Impressions™	3600 x 1800 x 18mm	Riven or Nuance finish	Ex plant
Vertiboard MR E0	(except Black)		Minimum 1 sheet
(MR E0 Particleboard)	3600 x 1200 x 18mm (Black)		Max 5 days plus transport [†]

National availability is based on supply from Melbourne, Sydney, Brisbane, Adelaide and Perth. Check with your local branch for availability.

- † WA customers Please refer to the WA availability guide for exact lead times. Check availability guide for finish options.
- * Not a stock item in all areas, lead times may apply and minimum order quantities.

ABS edging

Width	21mm	22mm	29mm	38mm
Thickness	1mm	2mm	2mm	2mm
Rolls	25m & 100m	25m	100m*	100m*

Greenfirst®

Greenfirst® is Laminex Australia's commitment to the environment. At the forefront of design and innovation for interior surfaces, Laminex offers products that can assist with Green Building Council of Australia (GBCA) Green Star® rated projects. Recognising the importance of Indoor Environmental Quality (IEQ) in projects, Laminex offers a range of low formaldehyde products and low Volatile Organic Compound (VOC) products.

Laminex has made the environmental choice to transition their Decorwood® (Standard MDF) and Structural MR® (Moisture Resistant MDF) from E1 to E0, whilst Vertiboard® (Standard Particleboard) has the option of E1 and E0. All Laminex Decorwood E0, Structural MR E0 and Vertiboard E0 have achieved Ecospecifier Global GreenTag® GreenRate Level A and LCARate PLUS Gold, dual certification. The Global GreenTag® program is one of Australasia's most respected environmental certifications and Level A is the highest level recognised in the GBCA Green Star Materials Calculator.

This is combined with the valuable LCARate Gold – a fully, audited, Life Cycle Assessment based certification program that helps designers and specifiers differentiate between products using trusted Bronze, Silver, Gold or Platinum ratings and detailed Sustainability Assessment Criteria (SAC) and EcoPOINT scores. The SAC scores for Embodied Carbon show these Laminex products to be carbon sinks. For Timber Certifications, all Laminex Decorwood, Structural MR and Vertiboard E0 are AFS/PEFC CoC* certified, whilst a selection of Laminex Decorwood products possess FSC® CoC^ certification. Please enquire when ordering.

- * Australian Forestry Standard / Programme for the Endorsement of Forest Certification Schemes (AFS/PEFC) Chain of Custody (CoC).
- ^ Forest Stewardship Council® (FSC®) Chain of Custody (CoC).









